

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	504	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content near3 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:16
L2	135	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:16
L3	80	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and gateway and convert\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:17
L4	63	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and gateway and convert\$3 and (file near4 shar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:17
L5	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (gateway near4 convert\$3) and (file near4 shar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:18
L6	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (gateway)) and (content adj2 protocol) and (file near4 shar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:19
L7	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network) near4 gateway) and (content adj2 protocol) and (file near4 shar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:19

L8	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (file near4 shar\$3) and (gateway near4 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:20
L9	3	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (file near4 shar\$3) and (gateway near4 translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:20
L10	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (contend near4 shar\$3) and (gateway near4 translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:22
L11	5	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (gateway near4 translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:22
L12	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (gateway near4 convert\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 17:24
S1	1	"20050108430"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/09/13 15:51
S2	1	"20030018753"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/09/13 15:53
S3	3	"6970127"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/09/13 18:36
S4	29	"6463474"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/09/13 15:57
S5	2	((("6463474") or ("6584454")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/13 15:57
S6	1	((("6400730") or ("2003093541")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/13 18:37
S7	2	((("6400730") or ("20030093541")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/13 18:37

S8	3	((("6400730") or ("20030093541") or ("20030014600")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/13 18:37
S9	133	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and gateway and (authenticat\$3 near4 verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (provid\$3 near4 (content or servic\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:51
S10	33	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and gateway and (authenticat\$3 near4 verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (provid\$3 near4 (content or servic\$3)) and (protocol near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:51
S11	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and gateway and (authenticat\$3 near4 verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (provid\$3 near4 (content or servic\$3)) and (protocol near4 conver\$4) and (content near4 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:52
S12	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and (home near4 gateway) and (authenticat\$3 near4 verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (provid\$3 near4 (content or servic\$3)) and (protocol near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:53
S13	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and (home near4 gateway) and (authenticat\$3 near4 verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (protocol near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:06

S14	8	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and (home near4 gateway) and (authenticat\$3 and verif\$6) and (gui or (graphical adj2 user adj2 interfac\$3)) and (protocol near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:06
S15	6	(@ad<"20031023" or @rlad<"20031023") and (home near4 network\$3) and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (protocol near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:12
S16	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (protocol near4 conver\$4) and (port near4 map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:35
S17	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (port near4 map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:35
S18	35	(@ad<"20031023" or @rlad<"20031023") and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (port near4 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:35
S19	16	(@ad<"20031023" or @rlad<"20031023") and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (port near4 device) and (protocol near4 (translat\$3 or conver\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 10:35

S20	4	(@ad<"20031023" or @rlad<"20031023") and (home near4 gateway) and (authenticat\$3 and verif\$6) and (sign\$in or sign\$on or log\$in or log\$on) and (port near4 (translat\$3 or conver\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 11:08
S21	699	(@ad<"20031023" or @rlad<"20031023") and (home adj2 network near4 gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 11:22
S22	56	(@ad<"20031023" or @rlad<"20031023") and (home adj2 network near4 gateway) and authenticat\$3 and (sign\$on or sign\$in or log\$in or log\$on)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 11:23
S23	36	(@ad<"20031023" or @rlad<"20031023") and (home adj2 network near4 gateway) and authenticat\$3 and (sign\$on or sign\$in or log\$in or log\$on) and (conver\$3 or translat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 11:23
S24	18	(@ad<"20031023" or @rlad<"20031023") and (home adj2 network near4 gateway) and authenticat\$3 and (sign\$on or sign\$in or log\$in or log\$on) and (address\$3 near4 (conver\$3 or translat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 11:23
S25	5	(@ad<"20031023" or @rlad<"20031023") and (home adj2 network near4 gateway) and authenticat\$3 and (sign\$on or sign\$in or log\$in or log\$on) and osgi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 14:29
S26	1	("20030018753").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/30 14:43
S27	1	("20020083342").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 14:34
S28	2	((("20020083342") or ("20030018753")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 14:35
S29	2	((("20020083342") or ("20030018753")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/20 13:01
S30	3	((("20020083342") or ("20030018753") or ("20050108430")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/20 13:02

S31	420	((software or patch\$3 or firm \$ware) near4 (up\$dat\$3 or up\$grad\$3)) and (distribut\$3 near4 chain\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/04/20 14:36
S32	25	((software or patch\$3 or firm \$ware) near4 (up\$dat\$3 or up\$grad\$3)) and (broad\$cast\$3 near4 chain\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/04/20 14:37
S33	12	((software or patch\$3 or firm \$ware) near4 (up\$dat\$3 or up\$grad\$3)) and (broad\$cast\$3 near4 chain\$3) and (@ad<"20011004" or @rlad<"20011004")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/04/20 14:38
S34	9	((software or patch\$3 or firm \$ware) near4 (up\$dat\$3 or up\$grad\$3)) and (broad\$cast\$3 near4 adjacent) and (@ad<"20011004" or @rlad<"20011004")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/04/20 14:39
S35	24	((software or patch\$3 or firm \$ware) near4 (up\$dat\$3 or up\$grad\$3)) and (distribut\$3 near4 adjacent) and (@ad<"20011004" or @rlad<"20011004")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/04/20 14:40
S36	1	("6834386").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/20 15:30
S37	2	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver\$4)) and (content adj2 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:15
S38	6	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver\$4)) and (smb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:16
S39	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (smb and upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19

S40	8	(@ad<"20031023" or @rlad<"20031023") and (smb and upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:19
S41	8	(@ad<"20031023" or @rlad<"20031023") and (smb and upnp) and gate \$way	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:21
S42	8	(@ad<"20031023" or @rlad<"20031023") and (smb and upnp) and gate \$way and home	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:21
S43	26	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver \$4)) and (upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:29
S44	236	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver \$4)) and stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:33
S45	1	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver \$4)) and stream\$3 and (content adj2 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:33
S46	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (protocol near4 (translat\$3 or conver \$4)) and stream\$3 and (smb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:34
S47	9	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and stream\$3 and (smb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:34

S48	54	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (remot\$3 near4 stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:36
S49	37	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (remot\$3 near4 stream\$3) and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:36
S50	37	(@ad<"20031023" or @rlad<"20031023") and (home near4 (proxy or gateway)) and (remot\$3 near4 stream\$3) and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:36
S51	36	(@ad<"20031023" or @rlad<"20031023") and (home near4 (gateway)) and (remot\$3 near4 stream\$3) and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:37
S52	193	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (remot\$3 near4 stream\$3) and conver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:42
S53	5	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (remot\$3 near4 stream\$3) and (gate\$way near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:42
S54	308	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:43
S55	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and (content adj2 protocol) and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:43

S56	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and (content adj2 protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:43
S57	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and smb and upnp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:44
S58	5	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and (protocol near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:44
S59	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and (smb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:48
S60	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (stream\$3) and (gate\$way near4 conver\$4) and (upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:49
S61	14	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:49
S62	10	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (upnp) and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:49
S63	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (smb) and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/ 24 10:56

S64	87	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (receiv\$3 near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:56
S65	25	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (receiv\$3 near4 content) and stream\$3 and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 10:57
S66	3	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (receiv\$3 near4 http) and stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:06
S67	10	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (request\$3 near4 http) and (content near4 stream \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:06
S68	9	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (gate\$way near4 conver\$4) and (conver\$4 near4 http)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:13
S69	1	("20050108430").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/24 11:21
S70	8	(@ad<"20031023" or @rlad<"20031023") and (smb and upnp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 11:43

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (gateway near4 convert\$3)	USPAT; UPAD	OR	ON	2009/12/20 17:41

L14	1	(@ad<"20031023" or @rlad<"20031023") and (home near4 (network)) and (content adj2 protocol) and (gateway near4 translat\$3) and (content near4 shar\$3)	USPAT; UPAD	OR	ON	2009/12/20 17:41
-----	---	--	----------------	----	----	---------------------

12/ 20/ 2009 5:42:19 PM

C:\ Documents and Settings\ dnguyen18\ Desktop\ 10693279.wsp